

Installation guide & Product Information

WOHNHELD Kitchen roll holder



Table of contents

Scope of delivery	2
General	2
Security	3
Commissioning	4
Technical data	5

Scope of delivery

- 1 x Kitchen roll holder with roll-off bracket
- 1 x double-sided adhesive tape for mounting the kitchen roll holder
- 2 x dowel
- 2 x screws
- 2 x screw cover
- 4 x adhesive pads for screw cover
- 1 x silicone sticker for the roll-off brake
- 1 x accompanying card

General



Read the operating instructions.

This instruction manual belongs to the kitchen roll holder from WOHNHELD. It contains important information on commissioning and Handling. Failure to observe these operating instructions may result in cause damage to the product.

Explanation of symbols

The following symbols and signal words are used in these operating instructions.

NOTE - This signal word warns of possible damage to property.



This symbol gives you useful additional information on operation or handling.



Regulation (EC) No. 1907/2006 (REACH Regulation) is an EU chemicals regulation that came into force on June 1, 2007. REACH stands for Registration, Evaluation, Authorization and Restriction of Chemicals. As an EU regulation, REACH has equal and directly applicable in all member states.

Copyrights

Passing on and copying of this document, utilization and communication of its contents are prohibited unless expressly permitted. Violations oblige to compensation. All rights reserved in the case of patent or utility model.

Security

Intended use

The kitchen roll holder is designed exclusively for unrolling kitchen rolls.

Use the kitchen roll holder only as described in this manual.
described in the operating instructions. Any other use is considered improper
and can lead to property damage. The kitchen roll holder is not a child's toy.

The manufacturer or distributor accepts no liability for damage caused by
are caused by improper or incorrect use.

Safety instructions



NOTE: Do not attempt to bend the unwinding bracket. This may cause it to break.

Commissioning



NOTE: Use the double-sided tape for mounting only on smooth surfaces (e.g. Smooth wood, glass, metal, most plastics, stone and tiles).

Attachment by means of double-sided adhesive tape:

- Open the product package and take your product out of the package.
- Choose a suitable place with a smooth surface.
- Thoroughly clean the surface on the kitchen roll holder where the double-sided tape is to be applied with a dry cloth.
- Remove the film on one side of the double-sided tape.
- Stick the double-sided tape with the adhesive surface on the kitchen roll holder.
- Remove the second film on the double-sided tape.
- Now press the kitchen roll holder on the plate with moderate pressure for 60 seconds.
- Use the round adhesive pads to stick the screw cover onto the drill holes to cover them.
- If you like, you can stick the enclosed silicone sticker to the front end of the roll-off brake. This makes it less sharp-edged and the roll-off resistance is slightly stronger.
- The kitchen roll holder is now ready for use.



NOTE for mounting by means of screws:

If you need shorter screws for mounting, you are welcome to contact at info@wohnheld.eu. We will be very happy to send you a shorter screw set including covers free of charge.

Attachment by means of screws:

- Open the product package and take your product out of the package.
- Choose a place where you can screw the kitchen roll holder.
- Position the kitchen roll holder in the desired location and secure it with the two screws.
- Take the two screw covers and screw them onto the screw heads.
- If you like, you can stick the enclosed silicone sticker to the front end of the roll-off brake. This makes it less sharp-edged and the roll-off resistance is slightly stronger.
- The kitchen roll holder is now ready for use.

Attachment by means of dowels and screws:

- Open the product package and take your product out of the package.
- Choose a place where you can drill holes for the dowels.
- Hold the kitchen roll holder in the predicted place and mark the two holes for the dowels with a pencil.
- Drill two holes for the dowels using a drill bit (diameter: 7 mm).
- Insert the dowels completely into the drill holes.
- Take the two screws and screw the kitchen roll holder with the help of the dowels.
- Take the two screw covers and screw them onto the screw heads.
- If you like, you can stick the enclosed silicone sticker to the front end of the roll-off brake. This makes it less sharp-edged and the roll-off resistance is slightly stronger.
- The kitchen roll holder is now ready for use.

Technical data

Model: Kitchen roll holder

Device color: silver or gray

Weight: approx. 250 g

Size: 310 x 90 x 45 mm

Subject to technical and optical changes.

Customer Service / Customer Support

Dear customers,

our customer support staff will be happy to assist you. Please submit your concerns at:

info@wohnheld.eu

With kind regards

Your team from WOHNHELD