

Installation guide &
Product Information

WOHNHELD toilet paper holder



Table of Contents

| | |
|----------------------------------|---|
| Scope of Delivery | 2 |
| General Information | 2 |
| Safety | 3 |
| Commissioning/Initial Operation | 3 |
| Resistance of the Roll-Off-Brake | 4 |
| Technical Data | 4 |
| Customer Service | 4 |

Scope of Delivery

- 1 x Toilet Paper Holder with Unrolling Brake
- 1 x Double-Sided Adhesive Tape for Mounting the Toilet Paper Holder
- 1 x Silicone Sticker for the Unrolling Brake
- 1 x Accompanying Card

General Information



Read the instruction manual.

This instruction manual is for the WOHNHELD toilet paper holder. It contains important information for the initial operation and handling. Failure to follow this instruction manual can lead to damage to the product.

Explanation of Symbols

The following symbols and signal words are used in this instruction manual.

NOTE - This signal word warns of possible material damage.



This symbol provides you with useful additional information about the operation or handling.



The Regulation (EC) No. 1907/2006 (REACH Regulation) is an EU chemical regulation that came into force on June 1, 2007. REACH stands for Registration, Evaluation, Authorization, and Restriction of Chemicals. As an EU regulation, REACH is equally and directly valid in all member states.

Copyrights

The distribution and reproduction of this document, the utilization and disclosure of its contents are prohibited unless expressly permitted. Violations obligate the offender to pay damages. All rights are reserved in the event of patent or utility model registration.

Safety

Intended Use

The toilet paper holder is designed exclusively for rolling out toilet paper.

Use the toilet paper holder only as described in this instruction manual. Any other use is considered unintended and can lead to material damage. The toilet paper holder is not a toy for children.

The manufacturer or dealer assumes no liability for damages caused by unintended or incorrect use.

Commissioning/Initial Operation



NOTE: Use the double-sided adhesive tape for mounting only on smooth surfaces (e.g., smooth wood, glass, metal, most plastics, stone, and tiles).

NOTE: If you need a new 3M tape for installation, feel free to contact us at info@wohnheld.eu. We will gladly send you a new one free of charge.

Mounting using double-sided adhesive tape:

- Open the product packaging and remove your product.
- Choose a suitable location with a smooth surface.
- Thoroughly clean the area on the toilet paper holder where the double-sided adhesive tape will be applied using a dry cloth.
- Remove the protective film from one side of the double-sided adhesive tape.
- Stick the adhesive tape onto the toilet paper holder with the sticky side.
- Remove the second protective film from the adhesive tape.
- Press the toilet paper holder firmly onto the surface for 30 seconds.
- Wait 24 hours to allow the full adhesive strength of the 3M tape to develop.
- The toilet paper holder is now ready for use.

Resistance of the Unrolling Brake

If you find the resistance too low or too high, you can gently bend the unrolling brake down or up.

(But please make sure that you do not tear the unrolling brake off the holder).

You can view a video tutorial on this at www.wohnheld.services.

Technical Specifications

Model: Toilet Paper Holder

Color of the device: silver or gray

Weight: approx. 180 g

Size: 140 x 72 x 45 mm

Subject to technical and visual changes.

Customer Service / Customer Support

Dear customers,

Our customer support staff are at your service. Please address your concerns to:
info@wohnheld.eu

With kind regards,
Your WOHNHELD Team